

Durlon® CFG - Graphite Filler**SECTION 1. IDENTIFICATION**

Product Identifier	Durlon® CFG - Graphite Filler
Recommended Use	Temperatures up to 850°F (454°C) in oxidizing conditions. 1200°F (649°C) in steam. pH range of 0-14.
Manufacturer	Triangle Fluid Controls Ltd., 399 College Street East, Belleville, ON, K8N5S7, Canada, 613-968-1100, 8am-5pm EST, www.trianglefluid.com
Emergency Phone No.	Technical Services, 613-968-1100, 8am-5pm ET
SDS No.	0028

SECTION 2. HAZARD IDENTIFICATION**Classification**

Not classified under any hazard class.

Label Elements

Not applicable

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers	Other Names
Graphite (natural)	7782-42-5	78 - 92		
Fibrous glass	65997-17-3	8 - 22		

SECTION 4. FIRST-AID MEASURES**First-aid Measures****Skin Contact**

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

Eye Contact

Rinse the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes, while holding the eyelid(s) open.

SECTION 5. FIRE-FIGHTING MEASURES**Extinguishing Media****Suitable Extinguishing Media**

Water fog, foam, dry chemical powder or carbon dioxide (CO2).

SECTION 6. ACCIDENTAL RELEASE MEASURES**Personal Precautions, Protective Equipment, and Emergency Procedures**

No special precautions are necessary.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Personnel involved with handling this product should be wearing appropriate personal protective equipment as outlined in Section 8.

Conditions for Safe Storage

Store in a dry area.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air.

Individual Protection Measures

Eye/Face Protection

Not required but it is good practice to wear safety glasses or chemical safety goggles.

Skin Protection

Wear gloves.

Respiratory Protection

Use particulate filter respirator for specific particulate concentrations exceeding the occupational exposure limits.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Solubility Insoluble in water

Other Information

Other Physical Property 1 Appearance: Black

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability

Normally stable.

Incompatible Materials

Not applicable.

Hazardous Decomposition Products

None known.

SECTION 11. TOXICOLOGICAL INFORMATION

SECTION 12. ECOLOGICAL INFORMATION

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of in accordance with all applicable municipal, provincial and federal regulations.

SECTION 14. TRANSPORT INFORMATION

Not regulated under US DOT Regulations.

Special Precautions Not applicable

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

Product Identifier: Durlon® CFG - Graphite Filler - Ver. 1

SDS No.: 0028

Date of Preparation: June 01, 2020

Date of Last Revision:

Page 02 of 03

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

SDS Prepared By Triangle Fluid Controls Ltd.

Phone No. 613-968-1100

Date of Preparation June 01, 2020

Disclaimer The information provided in this SDS is correct and to the best of our knowledge at the date of its publication. The information provided is intended only as a guidance for safe handling, transportation, storage, use and disposal and is not considered a warranty or quality specification. This SDS is intended for the material specified and may not be valid for the material used in any other combination or process unless specified in the text.

Product Identifier: Durlon® CFG - Graphite Filler - Ver. 1

SDS No.: 0028

Date of Preparation: June 01, 2020

Date of Last Revision:

Page 03 of 03